

## **Advanced Options for Stand Construction**

Applicable for stands with space in excess of 400 m<sup>2</sup> and opposite or diagonal stand areas of the same exhibitor. Feasibility and conditions will have to be checked on an individual basis by Deutsche Messe AG in accordance with technical regulations and approval procedures.

### **FLOORING IN GANGWAYS**

- Possible between opposite or diagonal stand areas of the same exhibitor
- Floor covering must be flame proof
- Gangways / emergency gangways must be recognisable
- Max. height flooring in gangways leading to hall exits: 4 cm
- Max. height flooring in all other gangways: 19 cm
- Service ducts in the hall floor must be kept accessible

### **CONSTRUCTION ABOVE GANGWAYS**

- Possible between opposite or diagonal stand areas of the same exhibitor
- Min. clearance height below construction in main gangways: 4 m
- Min. clearance height below construction in all other gangways: 3 m
- Construction material must be non-flammable
- Depending on size and use of construction, a fire protection certificate (Brandschutzgutachten) is required
- Advertising on construction above gangways is only permitted, if these constructions connect multi-storey stands

### **STAND CONSTRUCTION ABOVE 6.50M**

- Possible for stands with space in excess of 400 m<sup>2</sup>
- Max. construction height: 7.50 m (also for 3-storey constructions)
- If requested, feasibility will be checked according to location
- Fire protection certificate (Brandschutzgutachten) required

For further information or clarification on advanced options for stand construction please contact Deutsche Messe:

Halls 11, 12

Christian Sator      Tel: +49 (0)511/89-32264, email: [christian.sator@messe.de](mailto:christian.sator@messe.de)

Halls 14, 15, 16, 17

Tim Langer      Tel: +49 (0)511/89-32226 email: [tim.langer@messe.de](mailto:tim.langer@messe.de)

Hall 13, 27

Christian Gründer      Tel: +49 (0)511/89-32611, email: [christian.gruender@messe.de](mailto:christian.gruender@messe.de)